

DECLARATION OF PERFORMANCE

We hereby declare that our

**Load Bearing and Welded Structural Steel Components
manufactured from Stainless Steel Plate 1.4301/1.4307 [304/304L],
including all support angles, windposts and other bespoke fabrications,**

conform to the provisions of Annex ZA, EN 1090-1:2009+A1:2011

System 2+



| | |
|----------------------------|--------------------|
| Declaration Number: | L0509-04-CE |
|----------------------------|--------------------|

Initial inspection and continuous surveillance, assessment and approval of the Factory Production Controls (FPC) is conducted by,

| | |
|-------------------------|--|
| Notified Body: | BSI Group The Netherlands B.V. Say Building, John M. Keynesplein 9, 1066 Ep. Amsterdam |
| Notified Body Number: | 2797 |
| FPC Certificate Number: | 2797 – CPR – 708769 |

| Structural Characteristics | |
|-----------------------------------|--|
| Load Bearing: | Refer to project file / manufacturing order |
| Design: | According to EN 1993 (EC3) |
| Manufacturing: | According to EN 1090-2: Execution Class 2 (EXC2) |
| Resistance to Fire: | NPD |
| Fatigue Strength: | NPD |
| Material Characteristics | |
| Tolerances on Dimensions: | According to EN 1090-2 |
| Weldability: | Stainless Steel 1.4301/1.4307, according to EN 10088 |

DECLARATION OF PERFORMANCE

| | |
|--|-----------------------|
| Fracture Toughness: | Minimum 60J at 20DegC |
| Reaction to Fire: | Classified: Class A1 |
| Release to Cadmium: | NPD |
| Emission of Radioactivity: | NPD |
| Durability: | Uncoated: NPD |
| Conditions | |
| Products/Systems should be stored and installed to the layout drawings and/or other instructions issued by Leviat. | |

Signed for and on behalf of the manufacturer by



Rune Magnusson
Regional Managing Director, UK & Asia
1st May 2026

Manufactured by;

Leviat Limited
President Way
President Park
Sheffield, S4 7UR
United Kingdom