

Product Overview

Discover our range of branded products



UK & Ireland Edition

Ancon

H HALFEN

HELIFIX

ISEDIO

Imagine. Model. Make.



We imagine, model and make engineered products and innovative construction solutions that help turn architectural visions into reality and enable our construction partners to build better, safer, stronger and faster.

Leviat is a world leader in connecting, fixing, lifting and anchoring technology.

From the build of new schools, hospitals, homes and infrastructure, to the repair and maintenance of heritage structures, our engineering skills are making a difference around the world.


We provide technical design assistance at every stage of a project, from initial planning to installation and beyond.

Our technical support services range from simple product selection through to the development of a fully customised project-specific design solution.

Every promise we make locally, has the commitment and dedication of our global team behind it. We employ almost 3,000 people at 60 locations across North America, Europe and Asia-Pacific, providing an agile and responsive service worldwide.

Leviat, a CRH company, is part of the world's leading building materials business.






>3,000
People

60+
Locations


~23
Countries

Areas of expertise:



Structural Connections

Systems to form robust, efficient connections, and continuity of concrete reinforcement as necessary, between walls, slabs, columns, beams and balconies, providing structural integrity as well as enhanced thermal and acoustic performance.



Lifting & Bracing

Systems for the safe and efficient transportation, lifting and temporary bracing of cast concrete elements and tilt-up panels before permanent structural connections are made.



Façade Support & Restraint

Systems for the safe and thermally-efficient fixing of the external building envelope, including brick and natural stone, insulated sandwich panels, curtain walling and suspended concrete façades, and also the repair and strengthening of existing masonry installations.




Anchoring & Fixing

Systems for fixing secondary fixtures to concrete, including anchor channels, bolts and inserts; also tension rod systems for roofs and canopies.



Formwork & Site Accessories

Non-structural accessories that complement our engineered solutions and help keep your construction environment operating safely and efficiently, including moulds for casting standard and special concrete elements and construction essentials such as reinforcing bar spacers.




Industrial Technology

Mounting channels, pipe clamps and other versatile framing systems that provide safe fixing in a wide range of industrial applications.

Leviat product ranges:

Ancon | Aschwanden | Connolly | Halfen | Helifix | Isedio | Meadow Burke | Modersohn | Moment | Plaka | Scaldex | Thermomass

Leviat's locations in the UK



Leviat can assist with the specification, design, detailing and scheduling of a complete fixing solution for your project from our extensive range of trusted brands.

Our products are precision-manufactured to perform in the most demanding concrete and masonry applications, and are trusted for their integrity, reliability and compliance.

Our experienced technical specialists work closely with developers, architects and structural engineers to ensure

that our products meet the demands of today's most challenging construction programmes, while complying with new and emerging regulations.

The advanced manufacturing facilities that we operate from meet the requirements of ISO 9001. Our agile manufacturing processes enable us to respond quickly to fulfil urgent high-volume orders and meet challenging deadlines.

Our business is structured around meeting customer requirements efficiently and cost effectively. Our customer service professionals and extensive distribution network enable us to deliver the products that customers need, just when they are needed.

Contact us for help with your project, from correct product selection to a fully customised design solution.

Tel: 0114 275 5224
Email: info.uk@leviat.com
Leviat.com



© Alex Upton

Masonry & Façade Fixings

Ancon MDC masonry support systems combined with Ancon wall ties, windposts and lintels form a complete stainless steel fixing solution for aesthetic masonry cladding on new buildings. Helifix repair and reinforcement products, with their concealed non-disruptive installation techniques, help to preserve our built environment and strengthen existing masonry structures.



Primary Structural Connections

Our range of structural connectors includes high performance shear dowels, reinforcing bar couplers, reinforcement continuity systems, high integrity fire-resistant balcony connectors, superior jointing systems for industrial concrete floors and innovative solutions for the connection of precast elements.



© tomjasny.com

Anchoring & Framing

Leviat offers a wide range of intelligent fastening solutions as alternatives to drilling or welding. Our range provides the ideal channel for every application, whether for elevator shafts, tunnels, stadiums or precast concrete construction. Our Tension Bar Systems provide high load capacity whilst meeting the demanding aesthetic requirements of today's architectural applications.

Contents

Masonry & Façade Fixings 6

Masonry Support Systems

Lintels

Brick-Faced Support Systems

Windposts & Parapet Posts

Masonry Reinforcement

Wall Ties & Restraint Fixings

Crack Stitching Systems

Lateral Restraint Systems

Mechanical Pinning Systems

Piled Foundation Systems

Primary Structural Connections 10

Shear Load Connectors

Punching Shear Reinforcement

Reinforcing Bar Couplers

Reinforcement Continuity Systems

Thermally Insulated Connectors

Floor Joint Solutions

Stud Connectors


Precast Connectors

Anchoring & Framing 16

Tension & Compression

Cast-in Channels

Fixing Anchors




Ancon Optima Masonry Support



Brick-Faced Support Systems

The BBA approved family of Nexus® brick-faced soffit and lintel systems is a next generation solution that brings together a high integrity steel Ancon support system with engineered brick-faced units from Ibstock.

Its lightweight design sees weight cut by more than half when compared to traditional precast concrete alternatives, and its ease of handling ensures it can be installed without the use of specialist lifting equipment.



Nexus XI Brick-Faced Support System

Horizontal Support

Masonry Support Systems

Both Ancon Optima and the Ancon MDC system provide a continuous angle in the external masonry leaf. Ancon Optima is a standard system, available from stock. MDC systems are designed to suit specific applications. Brick support systems can be supplied with Thermal Breaks to minimise heat loss through cold bridging, and improve the energy efficiency of your building project. Ancon Thermal Breaks work by inserting a material with a lower thermal conductivity between the brackets and the frame.

Stonework supports include corbel angles and adjustable individual brackets.

Channel & Bolt Fixings


A wide range of Ancon and Halfen channels and bolts are available to fix stainless steel masonry supports and restraints to any type of structural frame.



Channel & Bolt Fixings

Lintels

The Ancon lintel range suits the majority of wall constructions and load conditions. Special lintels can be manufactured to suit architectural features and non-standard applications.



Ancon Lintel

Strengthening Masonry Panels


Windposts & Parapet Posts

Ancon Windposts span vertically between floors. Profiles include channel and angle sections.

They are designed to suit specific applications and are supplied complete with all end connections and wall ties. Designed to minimise thermal bridging in masonry cavity walls, the patented Ancon Thermal Windpost (TWP2) offers up to an impressive 70% reduction in thermal transmission through the span of the windpost.



Ancon WP3 Windposts




Ancon TWP2 Thermal Windposts



Masonry Reinforcement

Ancon AMR masonry reinforcement locates in the bed joint. The longitudinal wires are flattened to less than 3mm. Standard configurations suit a wide range of structural load conditions and wall widths.



Ancon AMR Masonry Reinforcement


Masonry Restraints

Wall Ties

Ancon Wall Ties are available in a variety of lengths and types for restraining brick, block and stone. These restraints can be designed to fix to concrete and structural steel as well as any type of masonry.

The standard wall tie range includes solutions for traditional brick-to-block, thin-joint blockwork, cellular clay blockwork, timber frame and light steel studding.

The Ancon Teplo Wall Ties are manufactured from pultruded basalt fibres. This material is often selected for its low thermal conductivity value of 0.7W/mK, which can be used to reduce insulation thickness.



Ancon Teplo-BF Cavity Wall Tie

Channel-Tie Restraint Systems


The Ancon 25/14 restraint system is designed to tie masonry to steel, timber or concrete frames through a layer of insulation.

Ancon 25/14 channel features pre-punched holes at close centres to ensure

a fixing position is always located near the end even when it is cut on site. Once the channel is installed, Ancon SD25 wall ties can be positioned at any point along its length and are built into the bed joints of the outer leaf of brickwork.



Ancon 25/14 Restraint System



Ancon Wall Ties

Masonry Repair Systems

Strengthening and Stabilising Masonry

HeliBar is a helical stainless steel reinforcing bar, with substantial tensile properties, used for strengthening and stabilising masonry in both new build and remedial situations. Helibars can be used to form masonry beams that secure large areas of masonry, distributing the structural loads and overcoming various problems caused by foundation movement.



EPD
INTERNATIONAL EPD SYSTEM



Crack Stitching Systems

The Helifix Crack Stitching system repairs and stabilises cracked masonry using stainless steel HeliBars bonded into cut slots with HeliBond grout for a quick, simple, effective and permanent solution.

Lateral Restraint Systems

Remedial wall ties are installed to tie masonry leaves together or veneers to internal structural frames. The Helifix range offers a solution for all situations and materials including ResiTies and BowTies.

BowTie HD is a long stainless steel retrofit helical tie for stabilising bowing/bulging walls, without any external plates, by securing and anchoring them to internal floor and ceiling joists. BowTie HD's are recommended when installing into joist sides.



Mechanical Pinning Systems

Helifix DryFix is a versatile and rapidly installed mechanical pinning and remedial tying system that requires no resin, grout or mechanical expansion. DryFix ties are installed directly into the brick leaves.

Piled Foundation Systems

Helifix Dixie Micro-Pile circular hollow section piles provide rapid and reliable structural support to a building's foundations following subsidence and can also act as a piled foundation system for either permanent or temporary new-build construction.

Primary Structural Connections



Ancon DSD Shear Load Connector



Ancon Lockable Dowel

Accommodating Shear

Shear Load Connectors

Installed at expansion and contraction joints, Ancon shear load connectors are more effective at both transferring load and accommodating movement than plain dowel bars. Each connector is a two-part assembly, comprising a sleeve and a dowel component. Products are available for joints in ground bearing and suspended slabs. Free design software is available.

The range includes a unique 'Lockable Dowel' designed for use at temporary movement joints in post-tensioned concrete frames.

Punching Shear Reinforcement


Ancon Shearfix and Halfen HDB consist of double-headed studs welded to flat rails. They can be used within a slab to provide additional reinforcement around columns, protecting the slab from the effects of punching shear.

Halfen HDB-Z is suitable for use in foundation slabs and single foundations, enabling thinner in-situ concrete slabs and precast foundations. Use of the system offers material and time savings during excavation and construction.

Free design software is also available for this product.




Halfen HDB Punching Shear Reinforcement



Ancon Shearfix Punching Shear Reinforcement



Halfen HDB-Z Punching Shear Reinforcement




Ancon Tapered Thread Reinforcing Bar Couplers

Continuity of Reinforcement

Reinforcing Bar Couplers


Mechanical couplers can be used to replace long bars and lapped joints, simplify design details, reduce rebar congestion and accelerate the speed of construction. The Ancon range includes parallel threaded, tapered threaded, mechanically bolted and grouted couplers. Couplers for stainless steel and cryogenic-grade rebars are also available.



Ancon MBT ET Bolted Coupler



Ancon KSN Threaded Anchor and Ancon Continuation Bar



Ancon Tapered Thread Starter Bar System

Reinforcement Continuity Systems

Leviat manufactures a wide range of products which simplify continuity of reinforcement at slab-to-wall construction joints in concrete.

Ancon Eazistrip consists of pre-bent bars housed within a galvanised steel casing. Once installed, the protective cover is removed and the bars are straightened.

Ancon CB Coupler Boxes allow engineers to design slab-to-wall connections without the traditional restrictions on bar length and bar diameter of re-bend/pull-out continuity systems and help contractors to eliminate manual bar straightening on site.



Ancon CB Coupler Box



Ancon CXL Parallel Threaded Coupler


Ancon Starter Bars are supplied fixed to an Ancon coupler. Once cast in concrete, the coupler's end cap is removed and a tapered thread continuation bar is installed with a calibrated torque wrench to complete the connection.

The Ancon KSN Threaded Anchor minimises congestion in a wall and is a quicker, easier, and above all safer continuity system. Connection to the anchor is with Bartec Plus parallel threaded bar.

Ancon Eazistrip Reinforcement Continuity System



Primary Structural Connections



Halfen HIT-PT Balcony Connectors



Thermally Insulated Connections


Insulated Balcony Connectors

Leviat's range of thermally insulated connectors have undergone comprehensive thermal modelling, proving their ability to reduce heat loss and eliminate condensation risk. They provide a thermal break by inserting a material with a low thermal conductivity between elements with a higher conductivity and most also provide local insulation at the joint.


In addition to providing structural integrity and thermal efficiency to a building, they have also been tested to a range of fire safety compliance. As a critical structural component, they transfer moment, shear, tension and compression forces.

Standard solutions from the Ancon range are available for steel-to-concrete (STC/STCS) and steel-to-steel (STS/STSS) interfaces.

Halfen HIT Insulated Connections provide a versatile and innovative range of products to meet a number of different project requirements. The Halfen HIT can be used in a wide range of concrete-to-concrete installation situations. Halfen HIT-SDV steel-to-concrete connections are also available for a number of steel structures, steel balconies, solar shading systems and more.



Ancon STC Balcony Connectors




Halfen HIT Insulated Connection



Ancon STS Balcony Connectors



Halfen HIT-SDV Insulated Connection




Floor Joint Solutions




Isedio ArmourJoint

ArmourJoint is a leave-in-place formwork, load transfer and edge protection joint system suitable for heavy duty industrial concrete floors.



Isedio ProGuardJoint

Isedio ProGuardJoint is specially designed for an impact-free and smooth transition across the joint for high traffic areas. The superior quality of the product makes it a suitable choice to achieve the highest flatness standards.



Isedio ShieldJoint

Building on the value of GuardJoint, ShieldJoint adds a sealant-free joint design to the list of features, making it the ultimate in slab edge protection. Suitable for heavy duty industrial concrete floors.



Isedio SteelDeckJoint

SteelDeckJoint is a revolutionary floor joint solution, which solves many of the complexities and time consuming elements of more traditional methods of forming a construction joint using timber formwork.

Reinforcement Connections

Halfen HSC Stud Connector

The Halfen HSC Stud Connector is an approved reinforcement anchor, optimised for anchorage in concrete and suitable for use in highly reinforced areas such as corbels and beam to column connections. Full reinforcement anchorage can be achieved with minimum transmission lengths. By using the Halfen HSC, the amount of reinforcing bar required is considerably reduced and the reinforcement layout is simpler. In addition to saving time and money, the stud connector also offers a highly reliable connection.



Halfen HSC Stud Connectors



Halfen HCC
Column Shoes



Precast Connections

Halfen HCC System

The Halfen HCC System comprises the HCC Column Shoe and HAB Anchor Bolt and is an efficient and economical method of installing precast columns. It provides a handy solution for either connecting columns to foundations or linking columns together. The column shoes are cast into the precast columns, while the anchor bolts are cast into the foundations on site. They are joined by load bearing nuts during assembly.



Halfen HEK Precast Coupler

The Halfen HEK Precast coupler is an innovative and versatile solution for fast and easy connection of precast concrete elements. Cast-in Halfen Demu fixing anchors i.e. T-Fixx, transfer the tension and shear force into the precast element. The main advantage of the system is the fast and efficient positioning of precast elements. The connection can be subjected to load immediately after installation, which results in a substantial improvement in construction time.



Halfen FPA Panel Anchors

The Halfen FPA Precast Panel Anchor and DS Spacer Bolt are used for the fixing of prefabricated suspended concrete façades. They are available in different variants and load ranges. The panel anchors transfer the vertical loads (dead load) and the spacer bolts transfer the horizontal loads (e.g. wind load). All system components are manufactured from corrosion resistant stainless steel.



Architectural Tension Systems

Tension & Compression Systems

In addition to providing a high load capacity, these stylish systems meet the demanding aesthetic requirements of today's architectural applications. Halfen Detan systems are available in stainless steel and galvanised steel in a variety of sizes and finishes, including hand polished. Components combine to create fixing solutions for staircases, canopies, timbers and large areas of glazing. Tension Systems comprise high strength bar, fork connectors, locking nuts, couplers and anchor discs.

Compression Systems comprise high strength tubes, fork connectors and locking nuts.



© Darcy Schack JAM Photographics Ltd

Halfen Electro-polished Tension System

Halfen Satin-polished Tension System

Halfen Hand-polished Compression System

Halfen Hand-polished Tension System



Cast-in Channels

Halfen Cast-in Channels

When fixing to concrete, Halfen Cast-in Channels provide almost unlimited adjustment along the line of the channel and can eliminate expensive site drilling. The Halfen range offers the ideal channel for every application, whether for elevator shafts, tunnels, stadiums or precast concrete construction, to name just a few uses. They are available in hot dip galvanised steel or stainless steel, depending on the level of corrosion resistance required.



Halfen HTA Cast-in Channels

Halfen HTA Cast-in Channels, used in conjunction with Halfen HS T-Bolts, resist tension loads and shear loads in the direction perpendicular to the longitudinal axes of the channel. Halfen HTA Cast-in Channels hold a European Technical Assessment and comply with EN 1992-4.



Halfen HTA Cast-in Channels

Halfen HS T-Bolt



Halfen HZA Cast-in Channels

Halfen HZA Toothed Cast-in Channels, used in conjunction with Halfen HZS T-Bolts, provide resistance in all directions including the longitudinal axes of the anchor channel. Halfen HZA Toothed Cast-in Channels comply with EN 1992-4.




Halfen HZA Serrated Cast-in Channels

Halfen HZS T-Bolts

Halfen Lean Duplex Channels

These new anchor channels feature a significant advantage: an increased steel load capacity. This enhancement ensures they can support heavier loads with exceptional reliability, making them an ideal solution for projects demanding robust structural performance.



NEW

Halfen Lean Duplex Anchor Channel D4



Elevator Guide Rail Connected using Cast-in Channels

Fixing Systems

Halfen HUC Universal Connection

The Halfen HUC Universal Connection System is a range of components that together provide an effective solution for the transfer of high structural loads into concrete. The components of the HUC system include the HSC-B Concrete Steel Connection System and the HSCC Steel Corbel System. The load range and adaptability of these components enables the HUC system to offer a huge range of connection applications. These include connections for steel beams, steel corbels, and anchor points for both Halfen Detan Tension Rods and cable bracing systems.



Halfen Fixing Anchors

Halfen Demu fixing anchors offer a safe and permanent anchorage for fixing into concrete. Anchors are available a variety of materials and finishes, including stainless and hot dip galvanised steel, up to a thread size of 42mm.



Halfen Demu T-Fixx



Halfen Bolt Anchor

Contact Leviat worldwide

Australia

98 Kurrajong Avenue,
Mount Druitt, Sydney, NSW 2770
Tel: +61 - 2 8808 3100
Email: info.au@leviat.com

Austria

Leonard-Bernstein-Str. 10
Saturn Tower, 1220 Wien
Tel: +43 - 1 - 259 6770
Email: info.at@leviat.com

Belgium

Industrielaan 2
1740 Ternat
Tel: +32 - 2 - 582 29 45
Email: info.be@leviat.com

China

Room 601 Tower D,
Vantone Centre
No. A6 Chao Yang Men Wai Street
Chaoyang District
Beijing P.R. China 100020
Tel: +86 - 10 5907 3200
Email: info.cn@leviat.com

Czech Republic

Business Center Šafránková
Šafránková 1238/1
155 00 Praha 5
Tel: +420 - 311 - 690 060
Email: info.cz@leviat.com

Finland

Vädursgatan 5
412 50 Göteborg / Sweden
Tel: +358 (0)10 6338781
Email: info.fi@leviat.com

France

6, Rue de Cabanis
FR 31240 L'Union
Toulouse
Tel: +33 - 5 - 34 25 54 82
Email: info.fr@leviat.com

Germany

Liebigstrasse 14
40764 Langenfeld
Tel: +49 - 2173 - 970 - 0
Email: info.de@leviat.com

India

309, 3rd Floor
Orion Business Park
Ghodbunder Road
Kapurbawdi, Thane West,
Thane, Maharashtra 400607
Tel: +91 - 22 2589 2032
Email: info.in@leviat.com

Italy

Via F.lli Bronzetti 28
24124 Bergamo
Tel: +39 - 035 - 0760711
Email: info.it@leviat.com

Malaysia

28 Jalan Anggerik Mokara 31/59
Kota Kemuning,
40460 Shah Alam Selangor
Tel: +603 - 5122 4182
Email: info.my@leviat.com

Netherlands

Oostermaat 3
7623 CS Borne
Tel: +31 - 74 - 267 14 49
Email: info.nl@leviat.com

New Zealand

2/19 Nuttall Drive, Hillsborough,
Christchurch 8022
Tel: +64 - 3 376 5205
Email: info.nz@leviat.com

Norway

Vestre Svanholmen 5
4313 Sandnes
Tel: +47 - 51 82 34 00
Email: info.no@leviat.com

Philippines

2933 Regus, Joy Nostalg,
ADB Avenue, Ortigas Center
Pasig City
Tel: +63 - 2 7957 6381
Email: info.ph@leviat.com

Poland

Ul. Obornicka 287
60-691 Poznań
Tel: +48 - 61 - 622 14 14
Email: info.pl@leviat.com

Singapore

14 Benoi Crescent
Singapore 629977
Tel: +65 - 6266 6802
Email: info.sg@leviat.com

Spain

Polígono Industrial Santa Ana
c/ Ignacio Zuloaga, 20
28522 Rivas-Vaciamadrid
Tel: +34 - 91 632 18 40
Email: info.es@leviat.com

Sweden

Vädursgatan 5
412 50 Göteborg
Tel: +46 - 31 - 98 58 00
Email: info.se@leviat.com

Switzerland

Grenzstrasse 24
3250 Lyss
Tel: +41 (0)800 22 66 00
Email: info.ch@leviat.com

United Arab Emirates

RA08 TB02, PO Box 17225
JAFZA, Jebel Ali, Dubai
Tel: +971 (0)4 883 4346
Email: info.ae@leviat.com

United Kingdom

President Way,
President Park,
Sheffield S4 7UR
Tel: +44 - 114 275 5224
Email: info.uk@leviat.com

USA / Canada

6467 S Falkenburg Road
Riverview, FL 33578
Tel: (800) 423-9140
Email: info.us@leviat.us

For countries not listed

Email: info@leviat.com

Notes regarding this document

© Protected by copyright. The information in this publication is based on state-of-the-art technology at the time of publication. In every case, project working details should be entrusted to appropriately qualified and experienced persons. Leviat shall not accept liability for the accuracy of the information in this document or for any printing errors. We reserve the right to make technical and design changes at any time. With a policy of continuous product development, Leviat reserves the right to modify product design and specification at any time.



For more information on these products, contact:

Leviat

President Way
President Park
Sheffield, S4 7UR
United Kingdom

Tel: +44 (0) 114 275 5224

Fax: +44 (0) 114 276 8543

Email: info.uk@leviat.com

Ancon.co.uk | Halfen.co.uk | Helifix.co.uk | Isedio.com