

DECLARATION OF PERFORMANCE

We hereby declare that in compliance with the Construction Products Regulation (EU) No. 305/2011, that the stainless steel lintels listed below are manufactured according to the requirements of the Harmonised Standard EN 845-2:2013+A1:2016 and fulfil the conditions for CE Marking in accordance with annex ZA of EN 845-2:2013+A1:2016.

The conformity assessment was executed in accordance with the method stated in tables ZA.2 and ZA.3 (System 3 of Assessment and Verification of Constancy of Performance).



Declaration Number:	L0345-00-CE
Product Type	SU150E

Approved Testing Laboratory	SKG-IKOB Certificatie B.V., Poppenbouwing 56 4191 NZ, Geldermalsen, Netherlands
Approved Body Number:	0960 (ex - 0957)

Performed determination of the product - type on the basis of type testing (based on sampling carried out by the manufacturer) and issued test reports.

Intended Use of the Construction Product

Lintels to be used in walls and partitions (to support loads over openings in masonry walls with a semi - structural role in the works)

		Lintel Length (mm)		
900-1800	1801-2100	2101-2400		
32	48	45		
			Less than Effective Span/325 at safe working load	
Zero				
Not Applicable				
91	100	8.4		
17W/mK (Stainless Steel)				
NPD				
Material Coating Reference L3				
Resistant				
None				
	Less than Efford	Less than Effective Span/325 at safe wo Zero Not Applicable 91 100 17W/mK (Stainless Steel) NPD Material Coating Reference Li Resistant		

Nominal Height (mm)	157	157
Mass (kg/m)	14.29	17.02
Minimum Bearing Length (mm)	150	
Harmonised Technical Specification	FN	845 - 2· 2013±Δ1· 2016

	Harmonised Technical Specification	EN 845 - 2: 2013+A1: 2016
--	------------------------------------	---------------------------





DECLARATION OF PERFORMANCE

Signed for and on behalf of the manufacturer by

Rune Magnusson

Managing Director Europe West & APAC

18th August 2022

Manufactured by:

Leviat Limited

President Way President Park Sheffield, S4 7UR

United Kingdom

