Ancon Staifix®

YOUR GUIDE TO

Wall Ties & Restraints

POCKET GUIDE




Contents

Choosing the Right Wall Tie	03
The Ancon Staifix Range	04
Ancon Masonry Products	07
Other Products from Leviat	09

Why Choose Us?

- Over 30 years of proven experience, trusted by the trade
- Tried and tested to ensure durability and reliability
- Safe, site-ready solutions that meet industry standards and regulations
- Proudly manufactured by Leviat, in the UK



Choosing the Right Wall Tie

Type 1 Heavy Duty Tie

For use in external walls of buildings of any height.

Type 2 General Purpose Tie

For use in external walls of houses and commercial buildings up to 15m in height.


Type 3 Wall Tie

As Type 2 tie but suitable for locations with lower wind speeds.

Type 4 Housing Tie

For use in external walls of houses and domestic buildings up to 10m in height.

Cavity Width (mm)	Tie Length (mm)
50-75	200
76-100	225
101-125	250
126-150	275
151-175	300



SCAN FOR INSTALL INSTRUCTIONS



The Ancon Staifix Range

Ancon Staifix®

Ancon Staifix HRT4 Wall Ties

Type 4 housing tie for use in buildings up to 10m in height.

Supplied in:

Boxes of 250 | Bags of 20*

Lengths available:

200mm, 225mm, 250mm, 275mm, 300mm

*Except for HRT4 300



Ancon Staifix RT2 Wall Ties

Type 2 general purpose tie for use in buildings up to 15m in height.

Supplied in:

Boxes of 250 | Bags of 20

Lengths available:

200mm, 225mm, 250mm, 275mm



Ancon Staifix Universal Insulation Retaining Clips

Suitable for use with all Ancon / Ancon Staifix wall ties.

Supplied in: Bags of 20 & 250



Ancon Staifix Cavity Starter Ties

Screw-in tie that simplifies the build of an inner leaf of blockwork within an existing structure. Supplied with an 8mm nylon plug and a neoprene 'o' ring.

Supplied in: Bags of 10



Cavity Width (mm)	Length (mm)
50-70	180
70-90	200
100-120	230

Ancon Staifix Starter Ties

Screw-in tie supplied with an 8mm nylon plug for joining new masonry to existing walls without the need for jointing.

Supplied: Individually | Bags of 10



Ancon Staifix Wall Starter Kit

For joining new walls to existing masonry.

Supplied: Individually





05

The Ancon **Staifix Range**

Ancon Masonry Products



Ancon Staifix Frame Ties

For fixing timber door and window frames to brickwork.

Supplied in: Individually | Bags of 10

Ancon Staifix STF6 Timber Frame Ties

For fixing masonry to timber frames up to four storeys in height.

Supplied in: Boxes of 250

Available in three lengths to suit cavities of: 50mm, 75mm, 100mm

Ancon Staifix TIM6 Helical Ties

For fixing masonry to timber frames up to four storevs in height.

Supplied in: Boxes of 250 Lengths available:

175mm, 200mm, 225mm, 250mm







Ancon ST1 Wall Ties

Type 1 tie for use in external walls of buildings of any height.

Supplied in: Boxes of 250

Lengths available:

200mm, 225mm, 250mm, 275mm, 300mm, 325mm, 350mm



Ancon Teplo-BF Wall Ties

Basalt-fibre cavity wall tie, available as Type 1, 2, 3 & 4.

Supplied in: Any quantity

Lengths available (mm):

Type 1: 200, 225, 250, 275 Type 2: 200, 225, 250, 275, 300,

325, 350, 375, 400, 425

Type 3: 450, 475, 500, 525 Type 4: 200, 225, 250, 550, 575



Ancon SPB Frame Cramps

For fixing masonry to in situ structures.

Supplied in: Boxes of 250

Lengths available:

75mm, 100mm, 125mm, 150mm, 175mm, 200mm, 225mm, 250mm,

275mm, 300mm



Ancon Masonry Products

Other Products



Ancon PPS Movement Ties

Used across movement joints in masonry walls.

Supplied in: Boxes of 250

Lengths available:

150mm, 175mm, 200mm, 225mm, 250mm, 275mm, 300mm



Ancon AMR Reinforcement

Ladder-type reinforcement which improves the structural performance of masonry walls.

Supplied in:

Standard lengths of 2700mm

Widths available:



Also available from Leviat:

- Bespoke Wall Ties (manufactured to order)
- Wire Balloons
- Insulated Plasterboard Fixings
- Warm Roof Nails for Pitched and Flat Roofs

- Crack Stitching Kits, Bars and Grout
- ▶ Frame Cramps
- Movement Ties
- Windposts
- Masonry Support Systems





In addition to our standard ties, special ties may be specified and ordered with ease by using a reference letter for the tail, shank and head of the tie.

 Scan to learn more about our bespoke wall ties and restraint fixings



09





For more information on these products please contact:

Tel: 0114 275 5224

Email: sales.ancon.uk@leviat.com

Leviat

President Way President Park Sheffield, S4 7UR United Kingdom

Ancon.co.uk | Leviat.com/gb-en

Notes regarding this pocket guide

© Protected by copyright. The construction applications and details provided in this publication are indicative only, in every case, orgicat working details should be entrusted to appropriately qualified and experienced persons. Whilst every care has been exercised in the preparation of this publication to ensure that any advice, recommendations or information is accurate, no liability or responsibility of any kind is accepted by Leviat for inaccuracies or printing errors. Technical and design changes are reserved. With a policy of continuous product development, Leviat reserves the right to modify product design and specification at any time.